

INDEX MAPS.

T. 19N, R. 7 E. 2nd Mer.

	72		72		71		71		71		70	
74	6	95	5	89	4	85	3	82	2	78	1	70
	95		94		89		85		81		78	
74	7	94	8	89	9	85	10	81	11	77	12	70
	94		93		88		84		80		77	
73	18	93	17	88	16	84	15	80	14	76	13	69
	93		92		88		84		80		76	
73	19	92	20	87	21	83	22	80	23	76	24	69
	92		91		87		83		79		75	
73	30	91	29	87	28	83	27	79	26	75	25	69
	91		90		86		82		79		75	
72	31	90	32	86	33	82	34	78	35	74	36	68
	68		68		68		67		67		67	

Alcanders 96

Acres 96

T. 20N, R. 7 E. 2nd Mer.

	108		107		107		107		107		107	
109	6	129	5	124	4	120	3	117	2	113	1	106
	129		129		124		120		116		113	
109	7	128	8	123	9	120	10	116	11	112	12	106
	128		128		123		119		116		112	
109	18	127	17	123	16	119	15	115	14	112	13	106
	127		127		122		119		115		112	
109	19	126	20	122	21	118	22	115	23	111	24	105
	126		126		121		118		114		111	
108	30	125	29	121	28	118	27	114	26	111	25	105
	125		125		121		117		114		110	
108	31	124	32	121	33	117	34	113	35	110	36	105
	104		104		104		103		103		103	

The figures on the lines refer to the page.

Township Lines.

Ch. 1st. South Boundary. Var. 6.45. E.

Bearings for corner of T. 19 & 20 N, R. 7 & 8 E.

a Beech 14 in. dia. bears N 37 E 22 W. dist. 2

a Hornbeam 6 " " " S 29 W 15 " "

West on the S. Boundary of Sec. 36

12.85 a Beech 12 in. dia.

40.00 set of sec. part from which

an Elm 30 in. dia. bears N 45 W 22 W. dist. 2

an Ash 18 " " " S 82 E 25 " "

60.50 a Beech 20 " "

80.00 set part cor. of sec. 35 & 36 from which

a Beech 13 in. dia. bears S 64 E 33 W. dist. 2

an Elm 10 " " " N 64 W 31 " "

Over rolling land. Timber Beech, Ash, Oak &c.
W. Spruce

West on the S. Boundary of Sec. 35

18.75 an V. Oak 24 in. dia.

40.00 set of sec. part from which

an Ash 15 in. dia. bears S 55 E 4 W. dist. 2

a Poplar 10 " " " N 55 W 45 " "

55.30 a Sugar 30 " "

80.00 set part cor. of sec. 34 & 35 from which

a Hackberry 12 in. dia. bears S 45 E 11 W. dist. 2

an Ash 8 " " " N 67 W 14 " "

Land & timber same as last described

West on the S. Boundary of Sec. 34

13.25 an Elm 30 in. dia.

40.00 set of sec. part from which

a Beech 12 in. dia. bears N 84 E 6 W. dist. 2

a Do 12 " " " S 34 W 11 " "

56.80 a Beech 18 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech 8 in. dia. bears East 16 W. dist. 2

T. 20 N., R. 7 E. 2. Mer. Ind. a

Chm. Sk?

a Beech 8 in. dia. bears S 40° W 24 Vrs. dint.
Over level wet land. Timber Beech, Ash, Elm &c.

West on the S. Boundary of Sec. 33

31.50 a Maple 24 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears N 20° E 10 Vrs. dint. &

a Do 8 " " S 3° E 28 " "

62.75 a Maple 12 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 10 in. dia. bears S 63° E 21 Vrs. dint. &

a Do 24 " " S 70° W 18 " "

Land timber same as last described.

West on the S. Boundary of Sec. 32

18.85 a Beech 16 in. dia.

40.00 set of sec. post from which

a Sugar 10 in. dia. bears N 13° E 19 Vrs. dint. &

a Beech 13 " " S 12° E 16 " "

45.06 an Elm 30 " "

75.50 a Creek 30 Vrs. wide course SW

80.00 set post cor. of sec. 31 & 32 from which

a Lycamore 15 in. dia. bears N 57° E 41 Vrs. dint. &

a Hawth 6 " " S 57° W 12 " "

Over good farming land. Timber Beech, Sugar,
Ash. Upr. Spruce

West on the S. Boundary of Sec. 31

3.00 a Creek 30 Vrs. wide course SW

10.16 a Poplar 16 in. dia.

40.00 set of sec. post from which

an Ash 12 in. dia. bears N 57° W 35 Vrs. dint. &

an Oak 24 " "

an Ash 24 " "

83.37 Intersect W. Boundary at Township corner from wh.

a Beech 10 in. dia. bears N 10° W 32 Vrs. dint. &

Chr. Spr. T. 20 N., R. 7 E., 2^d Mer. Ind. a.

a Beech 12 in. dia. bears S 12° W 19 Ms. dist.
(Description of land omitted)

East Boundary. Var. 6.00. E.

North on the E. Boundary of Sec. 36

12.25 an Oak 24 in. dia.,

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 2° W 25 Ms. dist. S.

an Ironwood 6 " " " N 61° W 4 " "

56.03 a Beech 14 " "

80.00 set post cor. of sec. 25 & 36 from which

a Hickory 14 in. dia. bears S 32° E 26 Ms. dist. S.

a Do 12 " " " N 50° W 17 " "

Over level land. Timber Beech, Oak, Hickory &
Wys. Spice &c.

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a Hornbeam 7 in. dia. bears S 77° E 13 Ms. dist. S.

an Elm 10 " " " S 81° W 16 " "

55.82 a Poplar 13 " "

80.00 set post cor. of sec. 24 & 25 from which

an Ash 18 in. dia. bears S 45° W 8 Ms. dist. S.

a Poplar 16 " " " N 23° E 38 " "

Over level wet land. Timber as before noted

North on the E. Boundary of Sec. 24

B. 12 a Beech 15 in. dia.

40.00 set of sec. post from which

a Beech 22 in. dia. bears S 51° W 14 Ms. dist. S.

a Do 7 " " " N 12° E 11 " "

64.25 a Beech 14 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 20 in. dia. bears S 34° W 28 Ms. dist. S.

a Do 8 " " " N 69° E 6 " "

Over level dry land. Timber Beech, Sugar,

T. 20 N., R. 7 E., S. 1 Mer. Ind. a

Chas. Sp.

Ash &c. Wm. Price

North on the E. Boundary of Sec. 13

5.25 a Beech 20 in. dia.

30.00 a Brook 6 Ws. wide corner E

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 52 W 11 Ws. dist. 8

a Do 15 " " " N 3 E 38 " "

68.40 an Elm 36 " "

80.00 set post cor. of Sec. 12 & 13 from which

a Beech 10 in. dia. bears S 40 W 17 Ws. dist. 8

a Do 14 " " " N 58 E 20 " "

Land &c. same as last described.

November 22. 1819

North on the E. Boundary of Sec. 12

40.00 set of sec. post from which

an Elm 12 in. dia. bears S 42 W 15 Ws. dist. 8

a Beech 8 " " " N 28 E 30 " "

61.35 a Sugar 12 " "

80.00 set post cor. of Sec. 11 & 12 from which

an Ash 10 in. dia. bears S 49 E 19 Ws. dist. 8

a Beech 13 " " " S 54 W 7 " "

Land &c. same as before described.

North on the E. Boundary of Sec. 1

40.00 set of sec. post from which

an Oak 40 in. dia. bears S 54 W 5 Ws. dist. 8

an Ash 36 " " " S 42 E 14 " "

66.95 an Ash 15 " "

65.25 set post cor. of T. 20 & 21 N., R. 7 & 8 E. from which

a Beech 10 in. dia. bears N 76 E 10 Ws. dist. 8

a Sugar 18 " " " N 35 W 26 " "

Land &c. same as before described.

North Boundary.

T. 20 N., R. 7 E. 2^d Mer. Ind.?

Chs. Sk.

West on the S. Boundary of Sec. 36, T. 21 N., R. 7 E

40.00 set of sec. post from which

a W. Oak 6 in. dia. bears N 50 W 6 Ws. dist. 8

a Hickory 7 " " " N 62 E 10 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears N 20 E 6 Ws. dist. 8

a Do 18 " " " S 29 E 27 " "

West on the S. Boundary of Sec. 35, T. 21 N., R. 7 E

40.00 set of sec. post from which

an Ash 18 in. dia. bears S 5 E 3 Ws. dist. 8

a Do 12 " " " N 64 E 16 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 34 in. dia. bears N 51 E 29 Ws. dist. 8

a Do 30 " " " S 47 E 18 " "

West on the S. Boundary of Sec. 34, T. 21 N., R. 7 E

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 21 E 12 Ws. dist. 8

a Do 18 " " " N 16 W 30 " "

80.00 set post cor. of sec. 33 & 34 from which

a W. Oak 30 in. dia. bears S 70 W 6 Ws. dist. 8

a Beech 20 " " " N 6 W 46 " "

West on the S. Boundary of Sec. 33, T. 21 N., R. 7 E

40.00 set of sec. post from which

a Pin Oak 14 in. dia. bears S 25 W 17 Ws. dist. 8

a Do 36 " " " S 45 E 24 " "

80.00 set post cor. of sec. 32 & 33 from which

a Hickory 24 in. dia. bears North 3 Ws. dist. 8

an Ash 10 " " " S 85 E 21 " "

West on the S. Boundary of Sec. 32, T. 21 N., R. 7 E

40.00 set of sec. post from which

a Hickory 18 in. dia. bears South 7 Ws. dist. 8

a Beech 16 " " " N 4 W 35 " "

T. 20 N., R. 7 E., T. Mer. Ind. Co.

Chr. Cr.

80.00 set post cor. of sec. 31 & 32 from which
an Ash 18 in. dia. bears S 50 E 12 W. dist. 2
a Beech 9 " " " N 52 W 27 " "

West on the S. Boundary of Sec. 31, T. 21 N., R. 7 E.

40.00 set of sec. post from which
a Hornbeam 6 in. dia. bears N 41 1/2 W 6 W. dist. 2
an Elm 6 " " " N 73 E 9 " "

81.50 Intersect W. Boundary 13.50 Chr. Cr. of temp. post -
set post at intersection cor. of T. 20 & 21 N., R. 6 & 7 E. from
which a Buckeye 12 in. dia. bears N 51 E 24 W. dist. 2

a Beech 14 " " " S 61 W 23 " "

(Description of land omitted throughout)

West Boundary. Var. 5.45 E.

North on the E. Boundary of Sec. 36, T. 20 N., R. 6 E.

13.92 a Beech 13 in. dia.

40.00 set of sec. post from which
a Beech 8 in. dia. bears S 52 E 20 W. dist. 2
a Do 18 " " " N 64 W 19 " "

65.00 a Poplar 40 " "

80.00 set post cor. of sec. 25 & 36 from which
an Ironwood 8 in. dia. bears N 45 W 8 W. dist. 2
an Ash 7 " " " S 49 E 7 " "
Over level land, Timber Beech, Ash, Oak &c.
W. Hazel &c.

North on the E. Boundary of Sec. 25, T. 20 N., R. 6 E.

13.40 an Elm 12 in. dia.

40.00 set of sec. post from which
a Beech 8 in. dia. bears S 6 W 20 W. dist. 2
a Hickory 12 " " " N 27 W 31 " "

47.90 a Beech 20 " "

80.00 set post cor. of sec. 24 & 25 from which
a Beech 24 in. dia. bears S 24 E 40 W. dist. 2
a Sugar 20 " " " N 2 W 29 " "

T. 20 N., R. 7 E. 2^d Mer. Ind.^a
Chr. Skt.

Land & timber the same as last described.

North on the E. Boundary of Sec. 24, T. 20 N., R. 6 E
28.75 a Beech 18 in. dia.

40.00 set of sec. part from which
an Ash 13 in. dia. bears S 2 W 27 1/2 Ws. dist 3
a Beech 7 " " " N 61 E 15 " "

80.00 set part en. of sec. 13 & 24 from which
an Oak 13 in. dia. bears S 2 W 36 Ws. dist 3
a Do 10 " " " N 4 W 27 " "
Over wet swampy land. Timber Oak, Elm &c.

North on the E. Boundary of Sec. 13, T. 20 N., R. 6 E
15.50 a Beech 16 in. dia.

23.00 a creek 20 Ws. wide course SW

40.00 set of sec. part from which
an Ash 13 in. dia. bears S 11 E 24 Ws. dist 3
a Dogwood 5 " " " N 24 W 44 " "

71.10 an Elm 24 " "

80.00 set part en. of sec. 12 & 13 from which
a Hickory 20 in. dia. bears S 29 E 22 Ws. dist 3
a Beech 8 " " " N 6 E 39 " "
Over level dry land. Beech, Oak, Hickory &c.

North on the E. Boundary of Sec. 12, T. 20 N., R. 6 E
28.69 a Beech 10 in. dia.

40.00 set of sec. part from which
an Oak 12 in. dia. bears S 45 W 22 Ws. dist 3
an Ash 4 " " " N 6 W 13 " "

80.00 set part en. of sec. 14 & 12 from which
a Sugar 14 in. dia. bears S 15 E 31 Ws. dist 3
a Do 8 " " " N 10 W 29 " "
Land & timber same as last described.

North on the E. Boundary of Sec. 1, T. 20 N., R. 6 E
27.50 a Brook 10 Ws. wide course NW

T. 20 N., R. 7 E. 2^d Mer. Ind.^a
 Ch. Ch.

40.00 set q. sec. part from which
 an Elm 20 in. dia. bears S 37° E 54 Yds. dist. &
 an Oak 24 " " " N 66° W 36 " "

54.03 a Hickory 14 in. dia.

66.50 to Township corner.

Over good farming land. Timber Beech, Sugar,
 Ash &c. Wp. Spice. November 1819

John M. Donald

Deputy Surveyor.

Subdivision.

North between Secs. 35 & 36

7.75 an Ash 18 in. dia.

8.00 enter a Swamp

12.00 leave "

40.00 set q. sec. part from which

an Ash 12 in. dia. bears S 16° E 11 Yds. dist. &

a Do 10 " " " N 75° E 5 " "

42.10 a Sugar 18 " "

80.00 set part cn. of secs. 25, 26, 35 & 36 from which

a Beech 18 in. dia. bears S 21° E 36 Yds. dist. &

a Do 12 " " " N 51° W 26 " "

Land level inclining to wet 3^d rate. Timber
 Beech, Ash, Sugar &c. Wp. Spice &c.

East on Random between Secs. 25 & 36

40.00 set temp. q. sec. part

79.71 Intersect E. Boundary 18 Yds. N. of part -

Land & timber same as before described.

October 30, 1821

West Connected between Secs. 25 & 36

39.85 set q. sec. part at aver. dist. from which

a Poplar 8 in. dia. bears N 56° W 17 Yds. dist. &

an Oak 9 " " " S 86° E 25 " "

79.71 to sec. cor.

Ch. Oak? T. 20 N., R. 7 E. 2^d Mer. Ind. a

North between Secs. 25 & 26

5.20 a R. Oak 36 in. dia.

40.00 set of sec. part from which

a Poplar 16 in. dia. bears S 30 E 31 W. dist. 8

a Do 15 " " " N 44 W 6 " "

42.55 an Ash 14 " "

80.00 set part cor. of sec. 23, 24, 25 & 26 from which

a Beech 12 in. dia. bears S 30 W 18 W. dist. 8

a Do 10 " " " S 40 E 36 " "

Land level 2^d rate. Timber Beech, Ash, Sugar A.
W. Spice A.

East on Random between Secs. 24 & 25

40.00 set temp. of sec. part

79.65 Intersect E. Boundary of W. N. of part -

Land level inclining to wet 3^d rate. Timber
Beech, Ash, Elm A. W. Spice, Picky Ash A.

West Connected between Secs. 24 & 25

39.82 set of sec. part at aver. dist. from which

an Ash 20 in. dia. bears N 30 W 8 W. dist. 8

a Beech 22 " " " S 34 E 12 " "

79.65 to sec. cor.

North between Secs. 23 & 24

8.95 a Beech 14 in. dia.

40.00 set of sec. part from which

a W. Oak 12 in. dia. bears N 86 E 34 W. dist. 8

a Beech 10 " " " N 10 W 20 " "

42.65 a Beech 20 " "

80.00 set part cor. of sec. 13, 14, 23 & 24 from which

a Beech 11 in. dia. bears S 13 W 9 W. dist. 8

an Ash 6 " " " N 44 E 5 " "

Land level 3^d rate. Timber Beech, Ash, Hickory
A. W. Spice A.

T. 20 N., R. 7 E. 2^d Mer. Ind.^a
 Chas. L. H.

East on Random between Secs. 13 & 24

40.00 set temp. of sec. part

79.13 Intersect E. Boundary 95 Mts. N. of part -

Sand level inclining to wet 3^d rate. Similar same

West Corrected between Secs. 13 & 24

39.56 set of sec. part at aver. dist. from which
 a Beech 14 in. dia. bears N 89° W 14 Mts. dist. 3

a Do 28 " " " N 83° W 21 " "

79.13 to sec. cor.

North between Secs. 13 & 14

36.08 a Hickory 16 in. dia.

40.00 set of sec. part from which

a Sugar 30 in. dia. bears N 68° W 10 Mts. dist. 3

a Beech 11 " " " N 54° E 19 " "

80.00 set part cor. of sec. 11, 12, 13 & 14 from which

an Elm 30 in. dia. bears S 27° E 25 Mts. dist. 2

an Ash 6 " " " N 32° W 21 " "

Sand level inclining to wet 3^d rate. Similar Beech,
 Ash, Elm & 1/2 Upr. Spice, Picky Ash & 1/2

East on Random between Secs. 12 & 13

40.00 set temp. of sec. part

79.80 Intersect E. Boundary 190 Mts. N. of part -

Sand level, first half mile wet, last half 2^d
 rate. Similar Beech, Ash, Sugar & Spice, P. Ash & 1/2

West Corrected between Secs. 12 & 13

39.90 set of sec. part at aver. dist. from which

a Sugar 20 in. dia. bears S 67° E 23 Mts. dist. 3

a Beech 12 " " " N 76° W 14 " "

79.80 to sec. cor. October 31, 1821

North between Secs. 11 & 12

33.35 a Hickory 18 in. dia.

T. 20 N., R. 7 E., S. 2. Mer. Ind. a

Chs. 1st

40.00 set gr. sec. post from which
a Beech 8 in. dia. bears S 57 E 14 W. dist. 2
a Do 5 " " " S 65 W 7 " "

40.20 an Ash 22 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Beech 20 in. dia. bears N 50 W 6 W. dist. 2
a Do 6 " " " S 10 E 28 " "
Land level 3^d rate. Timber Beech, Ash, Hickory,
Elm & V. Ulp. Spice & Pickly Ash

East on Random between Sec. 1 & 12

40.00 set temp. gr. sec. post

79.96 Intersect E. Boundary 300 W. N. of post -
Land level inclining to wet 3^d rate. Timber
Beech, Ash, Elm & V. Spice, Pickly Ash & V.

West Elected between Sec. 1 & 12

39.98 set gr. sec. post at aver. dist. from which
a Beech 11 in. dia. bears N 63 E 4 W. dist. 2
a Do 9 " " " S 60 W 28 " "

79.96 to sec. cor.

North between Sec. 1 & 2

3.80 an N. Oak 14 in. dia.

40.00 set gr. sec. post from which
an Ash 10 in. dia. bears S 27 W 7 W. dist. 2
a Do 8 " " " N 77 W 25 " "

45.12 an Ash 14 " "

61.67 Intersect N. Boundary at post from which
a Beech 22 in. dia. bears N 13 E 7 W. dist. 2
a Do 18 " " " S 30 E 27 " "
Land & timber same as before described.

North between Sec. 34 & 35

25.12 a Sugar 20 in. dia.

40.00 set gr. sec. post from which

T. D. N., R. 7 E. 2. Mer. Ind.
Ch. Ch.

a Beech 11 in. dia. bears S 75 W 10 W. dist. 3
a Spruce 10 " " " S 87 E 20 " "
41.45 an Elm 18 " "
80.00 set post cor. of sec. 26, 27, 34 & 35 from which
a Beech 20 in. dia. bears N 69 W 25 W. dist. 3
a Spruce 12 " " " S 62 E 47 " "
Land level 2 rate. Timber Beech, Ash, Sugar.
Wp. Spiced Pickley Ash &c.

East on Random between Sec. 26 & 35
40.00 set temp. of sec. post
79.21 Intersect N. S. line 97 W. S. of post -
Land & timber as before described.

West Corrected between Sec. 26 & 35
39.00 set of sec. post at aver. dist. from which
a Beech 14 in. dia. bears S 22 E 16 W. dist. 3
a Hickory 9 " " " N 10 W 11 " "
79.21 to sec. cor.

North between Sec. 26 & 27
20.30 a Sugar 12 in. dia.
40.00 set of sec. post from which
an Ash 18 in. dia. bears S 7 E 43 W. dist. 3
an Oak 6 " " " N 25 E 24 " "
77.20 an Ash 10 " "
80.00 set post cor. of sec. 22, 23, 26 & 27 from which
an Ash 28 in. dia. bears N 56 W 38 W. dist. 3
an Elm 12 " " " S 12 E 30 " "
Land level inclining to wet 3 rate. Timber
Beech, Ash, Sugar &c. Spiced Pickley Ash &c.

East on Random between Sec. 23 & 26
40.00 set temp. of sec. post
79.30 Intersect N. S. line 75 W. S. of post -
Land level 2 rate. Timber as before noted.

T. 20 N., R. 7 E. 2. Mer. Ind.?

Ch. Sp.

West Connected between Sec. 23 & 26

39.68 set of sec. part at aver. dist. from which
a Gum 10 in. dia. bears S 38 E 40 Ms. dist. 3
a R. Oak 8 " " " N 32 W 37 " "

79.36 to sec. cor.

North between Sec. 22 & 23

39.25 a Beech 24 in. dia.

40.00 set of sec. part from which

a W. Oak 7 in. dia. bears S 29 W 40 Ms. dist. 3
a Cherry 7 " " " N 6 E 18 " "

61.72 an Ash 14 " "

80.00 set part cor. of sec. 14, 15, 22 & 23 from which

a Beech 8 in. dia. bears N 4 W 11 Ms. dist. 3
a Do 7 " " " S 14 W 20 " "

Land level Brate, Timber Beech, Hickory &c.
Upr. Ash & Spice November 1. 1821

East or Random between Sec. 14 & 23

40.00 set temp. of sec. part

79.70 Intersect N & E line 89 Ms. S. of part -
Land & timber as before described.

West Connected between Sec. 14 & 23

39.85 set of sec. part at aver. dist. from which
a Beech 8 in. dia. bears S 23 E 22 Ms. dist. 3
an Ash 7 " " " N 59 W 23 " "

79.70 to sec. cor.

North between Sec. 14 & 15

8.75 a W. Oak 40 in. dia.

40.00 set of sec. part from which

a Beech 13 in. dia. bears N 15 W 33 Ms. dist. 3
a Do 9 " " " S 35 E 2 " "

48.00 a Sugar 20 " "

80.00 set part cor. of sec. 10, 11, 14 & 15 from which

T. 20 N., R. 7 E., T. 2 Mer. Ind.^e
 E.W. & W.

a Beech 12 in. dia. leans S 55 E 23 W. dist. 8
 a Spr 10 " " " N 57 W 20 " "
 Land level inclining to wet 3^d rate. Timber
 Beech, Ash, W. Oak, Hickory, Spice, P. Ash.

East on Random between Sec. 11 & 14

40.00 set temp. q. sec. post

79.26 Intersect N & S. line 90 W. S. of post -

Land level 3^d rate. Timber Beech, Ash, Hickory,
 Sugar & W. Spr. Spice &.

West Connected between Sec. 11 & 14

39.63 set q. sec. post at aver. dist. from which

a Lym 14 in. dia. leans N 63 W 15 W. dist. 8

a Beech 4 " " " S 81 E 28 " "

79.26 to sec. cor.

North between Sec. 10 & 11

33.25 a Sugar 36 in. dia.

40.00 set q. sec. post from which

an Ironwood 8 in. dia. leans S 6 W 30 W. dist. 8

a Buckeye 7 " " " N 46 E 10 " "

50.75 a Beech 12 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 18 in. dia. leans S 74 E 15 W. dist. 4

an Elm 24 " " " N 19 W 3 " "

Land & timber as last described.

East between Sec. 2 & 11 on Random

40.00 set temp. q. sec. post

79.34 Intersect N & S. line 97 W. S. of post -

Land & timber same as before described.

West Connected between Sec. 2 & 11

39.67 set q. sec. post at aver. dist. from which

a Lym 10 in. dia. leans S 87 E 16 W. dist. 8

T. 20. N., R. 7 E., T. 2. Mer. Ind. P.
Ch. 10.

a Beech 7 in. dia. bears N 9 W 10 W. dist.
 79.34 to sec. cor.

North between Sec. 2 & 3

15.70 a Beech 14 in. dia.

40.00 set of sec. post from which

a Sugar 28 in. dia. bears N 6 W 29 W. dist. 2,

a Beech 12 " " S 3 W 25 " "

48.30 a Beech 30 " "

62.37 Intersect N. Boundary 30 W. of post—

set post at intersection cor. of sec. 2 & 3 from which

a Beech 11 in. dia. bears N 88 W 13 W. dist. 2,

an Ironwood 6 " " S 59 E 32 " "

Land & timber same as last described.

North between Sec. 33 & 34

23.05 a Beech 28 in. dia.

40.00 set of sec. post from which

a Beech 11 in. dia. bears N 87 E 24 W. dist. 2,

a Do 10 " " N 36 W 16 " "

50.05 a Beech 30 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a W. Oak 36 in. dia. bears East 10 W. dist. 2,

a Beech 14 " " S 42 W 28 " "

Land level 3rd rate. Timber Beech, Ash, Hickory,
 W. Oak &c. Upr. Spice, Pickly Ash &c.

East on Random between Sec. 27 & 34

40.00 set temp. of sec. post

79.15 Intersect N. S. line 19 W. of post—

Land level 2nd rate. Timber Beech, Ash, Sugar &c.

Upr. Spice &c. November 2, 1821

West Corrected between Sec. 27 & 34

39.57 set of sec. post at aver. dist. from which

a Sugar 22 in. dia. bears S 67 E 14 W. dist. 2

T. 20 N., R. 7 E. 2. Mer. Ind. a
 Elm. Cr.

a Sugar 12 in. dia. bears N 51 W 5 Vrs. dist.
 79.15 to sec. cor.

North between Sec. 27 & 28

8.30 a Sugar 8 in. dia.

40.00 set of sec. post from which

an Elm 36 in. dia. bears S 84 W 15 Vrs. dist. &

a Beech 11 " " " S 86 E 19 " "

46.15 an Ash 14 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Beech 12 in. dia. bears S 3 W 11 Vrs. dist. &

an Elm 16 " " " N 23 E 27 " "

Land level 2. rate. Timber Beech, Ash, Sugar
 & V. Upr. Spice &

East on Random between Sec. 22 & 27

40.00 set temp. of sec. post

79.02 Intersect N. & T. line 16 Vrs. S. of post -

Land level, inclining to wet 3 rate. Timber
 Beech, Ash, Elm & V. Upr. Spice, Pickly Ash &

West Corrected between Sec. 22 & 27

39.51 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears S 80 E 8 Vrs. dist. &

an Ironwood 4 " " " N 74 W 20 " "

79.02 to sec. cor.

North between Sec. 21 & 22

30.05 a Beech 20 in. dia.

40.00 set of sec. post from which

a B. Oak 12 in. dia. bears N 37 E 6 Vrs. dist. &

a B. Ash 6 " " " N 81 W 19 " "

51.50 a Beech 18 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

an Elm 30 in. dia. bears S 5 W 26 Vrs. dist. &

a Waterbury " " " N 53 E 22 " "

Chas. S. H. T. 20 N., R. 7 E. 2. Mer. Ind. a.

Land level 2. rate. Timber Beech, Ash, Sugar
V. Upr. Spice, Prickly Ash

East on Random between Sec. 15 & 22

40.00 set temp. q. sec. post

79.98 Intersect N. S. line 20 Vrs. E. of post -

Land level 3. rate. Timber Upr. same

West Corrected between Sec. 15 & 22

39.99 set q. sec. post at aver. dist. from which
a Beech 12 in. dia. bears East 27 Vrs. dist. 2,
a Sugar 16 " " N 26 W 17 " "

79.98 to sec. cor.

North between Sec. 15 & 16

13.95 a Beech 14 in. dia.

40.00 set q. sec. post from which

a Beech 10 in. dia. bears S 74 W 26 Vrs. dist. 3,
an Ironwood 5 " " N 44 W 11 " "

68.95 an Elm 14 " "

80.00 set post cor. of Sec. 9, 10, 15 & 16 from which
a Maple 20 in. dia. bears S 52 W 20 Vrs. dist. 3,
an Ash 14 " " N 72 E 20 " "

Land level inclining to wet 3. rate. Timber Beech,
Ash, Elm V. Upr. Spice, Prickly Ash &c

East on Random between Sec. 10 & 15

40.00 set temp. q. sec. post

79.75 Intersect N. S. line 5 Vrs. E. of post -

Land & timber same as last described.

West Corrected between Sec. 10 & 15

39.87 set q. sec. post at aver. dist. from which
a Beech 11 in. dia. bears N 23 E 19 Vrs. dist. 2,
a Do 6 " " S 72 E 13 " "

79.75 to sec. cor.

T. 20 N., R. 7 E. 2^d Mer. Ind.^a
 Chas. L. L.

North between Sec. 9 & 10

11.50 enter Swamp

25.00 leave "

29.22 an Ash 15 in. dia.

40.00 set g. sec. post from which

an Ash 33 in. dia. bears S 12 E 16 Ws. dist. 2,

a Beech 12 " " " N 82 E 20 " "

52.26 a Maple 16 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Elm 6 in. dia. bears S 44 E 10 Ws. dist. 2,

a Do 7 " " " S 67 W 5 " "

Land level inclining to wet 3^d rate. Timber
 Beech, Ash, Elm & Upr. Spice, Pickly Ash
 &c. November 3, 1821

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

79.65 Intersect N. S. line 20 Ws. E. of post -

Land level 3^d rate. Timber Beech, Ash, Sugar,
 Hickory &c. Upr. Spice, Pickly Ash &c.

West Corrected between Sec. 3 & 10

39.87 set g. sec. post at aver. dist. from which

a W. Oak 48 in. dia. bears N 70 E 4 Ws. dist. 2,

an Ash 18 " " " S 70 W 8 " "

79.65 to sec. cor.

North between Sec. 3 & 4

2.00 enter Prairie

40.00 set g. sec. post in Prairie & raised a mound.

60.00 leave Prairie

62.74 Intersect N. Boundary 30 Ws. W. of post -

set post at intersection cor. of sec. 3 & 4 from which

a W. Oak 30 in. dia. bears S 79 E 23 Ws. dist. 2,

a Beech 18 " " " N 30 E 50 " "

Prairie, wet land 3^d rate.

Completed

T. 20 N., R. 7 E. 2^d Mer. Ind^a
Ch. 1st

North between Secs 32 & 33

12.25 a Beech 12 in. dia.

35.00 a Brook 10 lbs. wide course SW

40.00 set of sec. post from which

a Sugar 13 in. dia. bears S 6 E 24 lbs. dist. 3

a Buckeye 10 " " " N 30 E 17 " "

77.00 an Ash 20 " "

80.00 set post cor. of Secs 28, 29, 32 & 33 from which

an Elm 14 in. dia. bears N 13 E 14 lbs. dist. 4

a Do 24 " " " West 13 " "

Land level 3^d rate. Timber Beech, Ash, Elm &c.

East on Random between Secs 28 & 33

40.00 set temp. of sec. post

79.07 Intersect N. Line 52 lbs. E. of post -

Land & timber same as before described.

West Corrected between Secs 28 & 33

39.53 set of sec. post at aver. dist. from which

a Beech 7 in. dia. bears N 72 W 6 lbs. dist. 3

a Do 8 " " " N 57 E 13 " "

79.07 to sec. cor.

North between Secs 28 & 29

3.45 a Maple 18 in. dia.

40.00 set of sec. post from which

a Beech 30 in. dia. bears N 22 W 25 lbs. dist. 3

a Buckeye 10 " " " S 9 W 14 " "

53.15 a Beech 20 " "

80.00 set post cor. of Secs 20, 21, 28 & 29 from which

a Beech 22 in. dia. bears S 70 W 11 lbs. dist. 3

a Do 11 " " " S 22 E 16 " "

*Land level 2^d rate. Timber Beech, Ash, Sugar &c.
 Wp. Spice, Pickley Ash &c.*

East on Random between Secs 21 & 28

T. 20 N., R. 7 E., 2^d Mer. Ind.^a
Ch. 1st 10th

40.00 set temp. of sec. part
79.20 Intersect N. & S. line 42¹/₂ M^{rs}. S. of part —
Land level 3rd rate. Timber Beech, Ash, Hickory
H. Ulp. Spice, Ash &c.

West Connected between Sec. 21 & 28

39.63 set of sec. part at aver. dist. from which
a Beech 12 in. dia. bears S 37 E 13 M^{rs}. dist. 8,
a Do 16 " " " N 33 E 22 " "
79.26 to sec. cor.

North between Sec. 21 & 22

2.45 a Hickory 16 in. dia.
40.00 set of sec. part from which
a Beech 18 in. dia. bears N 76 W 7 M^{rs}. dist. 8,
a Do 6 " " " N 86 E 23 " "
65.98 an Elm 18 " "
80.00 set part cor. of sec. 16, 17, 20 & 21 from which
a Hickory 16 in. dia. bears S 86 W 13 M^{rs}. dist. 8,
an Ash 12 " " " N 29 E 25 " "
Land level 2nd rate. Timber Beech, Ash, Sugar,
Hickory &c. Ulp. Spice, Pickly Ash &c.

East on Random between Sec. 16 & 21

40.00 set temp. of sec. part
46.00 enter small Prairie
48.00 leave the same
79.03 Intersect N. & S. line 84 M^{rs}. — of part —
Land level inclining to wet 3rd rate. Timber
Beech, Ash, Elm &c. Ulp. Spice, Pickly Ash &c.

West Connected between Sec. 16 & 21

39.51 set of sec. part at aver. dist. from which
an Elm 28 in. dia. bears N 10 E 16 M^{rs}. dist. 8,
a Do 20 " " " S 59 W 13 " "
79.03 to sec. cor. November 4. 1821

T. 20 N., R. 7 E. 2^d Mer. Ind.^a
Ch. Ch.

North between Sec. 16 & 17

17.58 a Beech 16 in. dia.

40.00 set of sec. port from which

a W. Oak 30 in. dia. bears N 64 W 23 Ws. dist. 3

a Maple 30 " " " S 64 E 29 " "

46.75 a Beech 11 " "

80.00 set port cor. of sec. 8, 9, 16 & 17 from which

a Sugar 18 in. dia. bears S 8 E 11 Ws. dist. 8

a Do 16 " " " N 9 E 43 " "

Land level, inclining to wet 3^d rate. Timber
Beech, Ash, Sugar & Upr. Spice, P. Ash &c.

East in Rauden between Sec. 9 & 16

40.00 set temp. of sec. port

60.00 enter Swamp

70.25 leave "

79.48 Intersect N. S. line 70 Ws. E. of port -

Land & timber as before described.

West Corrected between Sec. 9 & 16

39.74 set of sec. port at aver. dist. from which

a Beech 16 in. dia. bears N 29 W 20 Ws. dist. 3

an Ironwood 8 " " " S 50 E 12 " "

79.48 to sec. cor.

North between Sec. 8 & 9

9.00 a Beech 14 in. dia.

40.00 set of sec. port from which

a Beech 10 in. dia. bears S 44 E 25 Ws. dist. 2

a Do 22 " " " S 76 W 26 " "

60.00 a Beech 12 " "

80.00 set port cor. of sec. 4, 5, 8 & 9 from which

a Beech 14 in. dia. bears S 22 E 45 Ws. dist. 3

a Do 18 " " " N 6 W 28 " "

Land level 2^d rate. Timber Beech, Ash, Sugar
&c. Upr. Spice &c.

J. W. N., R. 7 E. 2. Mer. Ind.?

Ch. Sk.

East on Random between Sec. 4 & 9

40.00 set temp. of sec. post

61.50 enter Prairie

77.50 leave "

79.48 Intersect N. S. line 54 Ws. S. of post -

Sand level 2nd rate. Timber Beech, Ash, Sugar,
W. Oak & Ulp. Spice &c

West Corrected between Sec. 4 & 9

39.74 set of sec. post at aver. dist. from which

a W. Oak 8 in. dia. bears N 49 W 78 Ws. dist. 8

a Walnut 6 " " S 3 E 65 " "

79.48 to sec. cor.

North between Sec. 4 & 5

7.75 a W. Oak 10 in. dia.

40.00 set of sec. post from which

an Elm 30 in. dia. bears S 12 W 41 Ws. dist. 8

a Beech 11 " " N 69 E 12 " "

47.82 a Beech 12 " "

63.08 Intersect N. Boundary 54 Ws. W. of post -

set post at intersection cor. of sec. 4 & 5 from which

a W. Oak 11 in. dia. bears S 10 W 20 Ws. dist. 8

a R. Oak 7 " " N 43 E 25 " "

Sand level inclining to wet 3rd rate. Timber Ash,
Elm, W. Oak, Beech & Ulp. Spice, P. Ash

November 5. 1821

North between Sec. 31 & 32

3.00 a Stream 20 Ws. wide curve SW

25.85 a Beech 20 in. dia.

40.00 set of sec. post from which

an Ash 30 in. dia. bears S 24 W 40 Ws. dist. 8

a Beech 15 " " N 48 E 9 " "

50.25 a Sugar 15 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

T. D. N., R. & E. L. Mer. Ind.^a
Chas. Lk.

a Beech 14 in. dia. bears N 80° W 32° W. dist. 8
a Do 10 " " " N 88° E 33 " "
Land rolling 3rd rate. Timber Beech, Ash, Sugar
V. Upr. Spice &c

East on Random between Secs. 29 & 32

27.50 a Stream 20 Ws. wide course SW

40.00 set temp. of sec. part

79.95 Intersect N. G. line 15 Ws. S. of part -
Land timber as before described.

West Connected between Secs. 29 & 32

39.97 set of sec. part at aver. dist. from which

a Beech 24 in. dia. bears N 15° W 23° W. dist. 8

a Do 22 " " " S 5° E 22 " "

79.95 to sec. cor. November 6. 1821

West between Secs. 30 & 31

3.80 a W. Oak 36 in. dia.

40.00 set of sec. part from which

an Ash 18 in. dia. bears S 3° E 9° W. dist. 8

a W. Oak 33 " " " N 30° W 19 " "

57.10 a Hickory 18 " "

82.20 Intersect N. Boundary 120 Ws. N. of part -

set part at intersection cor. of sec. 30 & 31 from wh.

a Beech 14 in. dia. bears N 45° E 27° W. dist. 8

a Do 15 " " " S 89° W 23 " "

Land level 3rd rate. Timber Beech, Ash, Sugar,
Hickory. Upr. Spice, Prickly Ash

North between Secs. 29 & 30

11.20 an Ash 16 in. dia.

40.00 set of sec. part from which

a Sugar 18 in. dia. bears S 5° E 18° W. dist. 8

a Do 15 " " " N 35° W 24 " "

46.35 a Hickory 18 " "

T. 20 N., R. 7 E., T. 3 Mer. Ind. a

Chr. Lp.

80.00 set post cor. of sec. 19, 20, 21 & 30 from which
a Beech 16 in. dia. bears N 80 E 11 W. dist. 2
a Do 7 " " " S 20 W 20 " "
Land level inclining to wet 3 rate. Timber
Beech, Ash, Hickory, W. Oak & V. Ulp. Spice &c.

East on Random between Sec. 20 & 29

40.00 set temp. q. sec. post

70.00 a Stream 10 W. wide course SW

79.92 Intersect N. S. line 35 W. S. of post

Land level 3 rate. Timber Beech, Ash, Sugar &c.
Ulp. Spice, Pickly Ash &c.

West Connected between Sec. 20 & 29

39.96 set q. sec. post at aver. dist. from which

a Beech 8 in. dia. bears N 25 E 9 W. dist. 2

a Dogwood 6 " " " S 65 W 21 " "

79.92 to sec. cor.

West between Sec. 19 & 30

14.55 a Beech 15 in. dia.

40.00 set q. sec. post from which

a R. Oak 40 in. dia. bears S 62 E 16 W. dist. 2

an Ash 26 " " " N 53 W 19 " "

40.55 a W. Oak 24 " "

81.80 Intersect W. Boundary 174 W. N. of post

set post at intersection cor. of sec. 19 & 30 from which

a Beech 28 in. dia. bears S 70 E 20 W. dist. 2

a Do 8 " " " N 35 W 10 " "

Land level 3 rate. Timber as last described.

North between Sec. 19 & 20

22.55 a Hickory 20 in. dia.

40.00 set q. sec. post from which

a Beech 24 in. dia. bears N 42 W 8 W. dist. 2

a Do 7 " " " S 80 E 9 " "

T. 20 N., R. 7 E. 2, Mer. Ind.?

Chs. 20,

47.35 a Hickory 22 in. dia.

80.00 set post cor. of sec. 17, 18, 19 & 20 from which
a Beech 15 in. dia. bears S 43 E 52 1/2 Ws. dist. 8

a Do 10 " " " N 15 1/2 W 17 " "

Land level 3 in. rate. Timber Beech, Ash, Hickory,
W. Oak, W. Spruce, Picky Ash

East on Random between Sec. 17 & 20

40.00 set temp. of sec. post

79.00 Intersect N. S. line 20 Ws. S. of post -

Land & timber as before described.

West Corrected between Sec. 17 & 20

39.53 set of sec. post at aver. dist. from which

an Elm 18 in. dia. bears S 85 E 10 Ws. dist. 8

a Water Beech 7 " " " S 49 W 11 " "

79.06 to sec. cor.

West between Sec. 18 & 19

4.60 a Beech 10 in. dia.

40.00 set of sec. post from which

an Elm 12 in. dia. bears N 15 E 10 Ws. dist. 8

a Do 30 " " " S 63 W 21 " "

44.60 a Sugar 18 " "

81.50 Intersect W. Boundary 192 Ws. N. of post -

set post at intersection cor. of sec. 18 & 19 from which

a Beech 18 in. dia. bears N 56 E 29 Ws. dist. 8

a Do 10 " " " N 52 W 5 " "

Land level 3 in. rate. Timber Beech, Ash,
Sugar, Hickory & W. Spruce, Picky Ash &

North between Sec. 17 & 18

3.60 a Beech 12 in. dia.

40.00 set of sec. post from which

a Sugar 33 in. dia. bears S 15 W 36 Ws. dist. 8

an Ash 20 " " " N 88 W 16 " "

T. 20 N., R. 7 E., T. 2 Mer. Ind.^a
Chs. Ets.

44.00 a W. Oak 26 in. dia.

80.00 set part cor. of sec. 7, 8, 17 & 18 from which
an Ash 10 in. dia. bears S 28 E 13 W. dist. 13
a Do 24 " " " N 11 E 50 " "
Land & timber as before described.

East on Random between Sec. 8 & 17

40.00 set q. sec. part from which temp.

79.00 Intersect N. & S. line 20 W. N. of part -
Land level 3rd rate. Timber Beech, Ash, Sugar,
W. Oak, Upr. Spice &c.

West Connected between Sec. 8 & 17

39.50 set q. sec. part at aver. dist from which
a Beech 20 in. dia. bears N 66 E 27 W. dist. 13
a Do 15 " " " N 21 W 10 " "

79.00 to sec. cor. November 7, 1821

West between Sec. 7 & 18

25.53 a W. Oak 36 in. dia.

40.00 set q. sec. part from which
a Beech 15 in. dia. bears N 5 W 17 W. dist. 13
a Do 12 " " " S 12 E 39 " "

56.04 a Beech 18 " "

80.71 Intersect W. Boundary 338 W. N. of part -
set part at intersection cor. of sec. 7 & 18 from which
an Ironwood 4 in. dia. bears N 14 E 14 W. dist. 13
a Beech 10 " " " S 3 W 35 " "
Land rolling 3rd rate. Timber Beech, Ash, Sugar
Oak. Upr. Spice

North between Sec. 7 & 8

19.40 a Sugar 15 in. dia.

40.00 set q. sec. part from which
a Beech 11 in. dia. bears N 81 W 20 W. dist. 13
an Ironwood 6 " " " S 21 W 24 " "

T. 20 N., R. 7 E. 2. Mer. Ind.?

Chas. J. H.

64.40 an Ash 10 in. dia.

70.30 a Brook 6 Mts. wide course SW

80.00 set part cor. of sec. 5, 6, 7 & 8 from which
a Beech 18 in. dia. bears S 21° W 11 Mts. dist. 3

a Sugar 10 " " " N 32° W 36 " "

Land level 2^d rate. Timber Beech, Ash, Sugar.

Wgs. Spice &c.

East on Random between Sec. 5 & 8

40.00 set temp. of sec. part

79.56 Intersect N. G. line 42 Mts. N. of part -

Land level 2^d rate. Timber Beech, Ash, Sugar.

Wgs. Spice &c.

West Corrected between Sec. 5 & 8

39.73 set of sec. part at aver. dist. from which

a Beech 16 in. dia. bears S 50° E 13 Mts. dist. 8

a Do 15 " " " S 43° W 22 " "

79.56 to sec. cor.

West between Sec. 6 & 7

6.10 a Hickory 16 in. dia.

10.50 a Stream 8 Mts. wide course NW

40.00 set of sec. part from which

a Beech 15 in. dia. bears N 49° E 21 Mts. dist. 3

a W. Beech 6 " " " S 40° W 7 " "

48.00 a Beech 22 " "

81.10 Intersect W. Boundary 325 Mts. N. of part -

set part at intersection cor. of sec. 6 & 7 from which

a Beech 11 in. dia. bears N 65° W 8 Mts. dist. 3

a Do 10 " " " N 12° E 12 " "

Land level 2^d rate. Timber Wgs. as before

North between Sec. 5 & 6

5.15 an Elm 28 in. dia.

17.75 a Spring branch 4 Mts. wide course W.

T. 20 N., R. 7 E. 2.^d Mer. Ind.^a

Chs. Chs.

40.00 set of sec. post from which
 a Beech 16 in. dia. bears S 37 E 9 Ws. dist. 8
 an Ironwood 10 " " " N 46 W 24 " "

55.00 a Lynn 22 " "

62.90 Intersect N. Boundary 10 Ws. E. of post -
 set post at intersection cor. of Sec. 5 & 6 from which
 an Elm 12 in. dia. bears N 39 E 33 Ws. dist. 8
 a Beech 8 " " " N 66 W 36 " "

Land level 3 rods. Timber Beech, Ash, Sugar
 &c. Upr. Spice &c. November 8. 1821

Basil Bently
 Deputy Surveyor.

I certify that the foregoing transcript of
 Field Notes of the Survey of Township N. 20
 North, of Range N. 7 East of the 2.^d Principal
 Meridian, in the State of Indiana, has been
 compared with the original on file in this
 office, and found to be correct.

Surveyor General's Office,
 Cincinnati, March 1. 1845

William Johnston
 Sur. Genl.